APPENDIX

The pending claims are listed below as they would read if the amendments requested herewith are entered under 37 C.F.R. § 1.129(a).

- 1. (Twice Amended) A composition comprising a pair of probes for detecting a chromosomal aberration which juxtaposes the BCR and ABL genes, said pair comprising a first and second nucleic acid probe, said first probe capable of specifically hybridizing to a part of the ABL gene on one side of said chromosomal aberration and said second probe capable of specifically hybridizing to a part of the BCR gene on the other side of said chromosomal aberration, wherein a hybridization site for the first probe and a hybridization site for the second probe are brought within approximately 800 kb of each other by said chromosomal aberration.
- 2. (Amended) The composition of claim 1 wherein the probes are labeled.
- 3. (Amended) The composition of claim 2 wherein each probe label is distinct from each other.
- 5. (Amended) The composition of claim 4 wherein the labels comprise fluorescent labels.
- 6. (Amended) The composition of claim 5 wherein the fluorescent labels are distinguishable under a microscope as different colors.

- 7. (Amended) The composition of claim 6 wherein the fluorescent labels comprise digoxigenin-11-dUTP and biotin-11-dUTP.
- 8. (Amended) The composition of claim 1 wherein the probes hybridize with chromosomal DNA *in situ* in cells.
- 9. (Amended) The composition of claim 8 wherein the cells comprise those in interphase of mitotic division.
- 10. (Amended) The composition of claim 9 wherein the probes after hybridization are juxtaposed as doublets if a chromosomal aberration is present.
- 11. (Twice Amended) The composition of claim 1 wherein said first probe is capable of hybridizing to at least a portion of the last exon of the ABL gene and said second probe is capable of hybridizing to at least a portion of exon I of the BCR gene.
- 12. (Twice Amended) The composition of claim 10 wherein the chromosomal aberration is further defined as comprising a translocation, said translocation formed by breakpoints which occur on the long arms of human chromosomes 9 and 22.
- 13. (Amended) The composition of claim 12 wherein the translocation breakpoints are further defined as occurring at the locations designated t(9;22) (q11;q34).

- 14. (Amended) The composition of claim 13 wherein the translocation breakpoints are further defined to occur in the BCR and ABL genes respectively, and a fusion gene is formed by the translocation, and said fusion gene comprises portions of the BCR and ABL genes.
- 15. (Twice Amended) The composition of claim 14 wherein the fusion gene encodes a protein p190.
- 16. (Twice Amended) The composition of claim 10 wherein the probes consist of those selected from probes PEM12, c-H-abl and MSB-1.
- 17. (Amended) The composition of claim 8 wherein the cells comprise a sample of human tissue.
- 18. (Amended) The composition of claim 17 wherein the human tissue sample comprises peripheral blood.
- 19. (Amended) The composition of claim 17 wherein the human tissue sample comprises bone marrow.
- 20. (Amended) The composition of claim 8 wherein the cells comprise a sample of cultured cells.

- 21. A genetic probe capable of hybridizing to the 5' region of the major breakpoint cluster region (M-bcr) of chromosome 22 as illustrated in FIG. 2A and FIG. 4.
- 22. (Amended) A genetic probe capable of hybridizing to the first exon of the BCR gene as illustrated in FIG. 2A.
- 23. (Amended) A genetic probe capable of hybridizing to at least a part of the last exon of the ABL gene as illustrated in FIG. 5 and FIGS. 2B and 2C.
- 24. (Amended) The genetic probe of claim 21 wherein the probe comprises PEM12.
- 25. (Amended) The genetic probe of claim 22 wherein the probe comprises MSB-1.
- 26. (Amended) The genetic probe of claim 23 wherein the probe comprises c-H-abl.
- 27. (Amended) The composition of claim 1 wherein the first and second probes comprise c-H-abl and MSB-1.
- 28. (Amended) The composition of claim 1 wherein the first and second probes comprise c-H-abl and PEM12.

- 29. (Amended) A kit for the detection of chromosomal aberrations comprising at least two genetic probes selected from claims 21, 22 and 23, and a control, each in separate containers.
- 30. A kit for the detection of cancer in human cells, comprising:
 - a) a carrier being compartmentalized to hold multiple containers;
 - b) a first pair of containers including the pair of genetic probes of claims 21 and 23; and
 - a second pair of containers containing the pair of genetic probes of claims 22 and
 23.
- 31. (Amended) The composition of claim 14 wherein the fusion gene encodes either of two proteins p190 and p210.
- 32. The composition of claim 31 wherein the presence of said fusion gene is diagnostic for acute lymphocytic leukemia (ALL).
- 33. The composition of claim 31 wherein the presence of said chromosomal aberration is diagnostic or prognostic for ALL and chronic myelogenous leukemia (CML).
- 34. (New) A kit for the detection of chromosomal aberrations comprising a first probe capable of specifically hybridizing to a part of the ABL gene on one side of said chromosomal aberration and a second probe capable of specifically hybridizing to a part of the BCR gene on the other side of said chromosomal aberration, wherein a hybridization site for the first probe and a hybridization

site for the second probe are brought within approximately 800 kb of each other by said chromosomal aberration.